

NATURAL STONE FLOORING & WALLING

# Marco Irregular Walling



tumbled

[tumbled.com.au](http://tumbled.com.au)

This striking blend of quartz and limestone walling combines warm greys and dusty whites across its fractal sized quartz and limestone deposits. Split faced and tumbled, its sides highlight the individuality synonymous with natural stone. These gentle tones lend themselves to both internal and external applications, from feature and retaining walls to facades. Available in both random quadrilateral and irregular geometric formats, we can supply Marco Walling in sawn-back and one-piece corners for efficient installation without compromise on appearance.

---

**Stone Colour**

Warm Grey & Dusty whites

**Tile Edges**

Split

---

**Irregular Walling**

20 - 40 mm (Sold in 1 m<sup>2</sup> Lots)

**Irregular Corners**

20 - 40 mm (Sold in 1 Lineal Metre Lots)

Note 1 Lineal Metre equates to 0.3 m<sup>2</sup> of Coverage

---

**Ordering Details**

Leadtime for product is 12 - 14 weeks unless instock

---

**Sealing & Cleaning**

Tumbled recommends Sealing all Natural Stone Tiles

For more information on caring for your natural stone please refer to our website [www.tumbled.com.au](http://www.tumbled.com.au)

---

**Please note**

If you are installing your stone without a grout joint we recommend an extra 15-20% for wastage. This then allows the stonemason to cut and shape the stone to ensure the joints are butt-jointed. We also recommend the installer unpacks each crate of stone and use the mix of the sizes supplied. Tumbled will not exchange smaller pieces for larger pieces, it is the installers responsibility to use all the sizes supplied.

