

NATURAL STONE FLOORING & WALLING

# Willowby Bluestone



tumbled

[tumbled.com.au](http://tumbled.com.au)



Bluestone is a widely known and versatile product, historically extracted from quarries throughout both Victoria and the northern hemisphere. This durable stone was used extensively to add charm to iconic inner city and suburban laneways. Featured traditionally as curbing, cobbles and guttering, bluestone's installation can also extend to walling, which was popularised by architects in civil, commercial and landscape design. Willowby Bluestone's waterjet finish deepens its cool blue-grey hues, and its soft patina underfoot is suitable for both internal and external spaces.

### Stone Colour

Charcoal

### Tile Edges

Sawn

### Tiles Size Options

600 x 300 x 20 mm / 800 x 400 x 20 mm

### Coping / Step Tread Options

Square Edge Coping 600 x 250 x 30 mm / Rebated Coping 600 x 400 x 20/60 mm

### Ordering Details

Leadtime for product is 16 - 18 weeks unless instock

### Sealing & Cleaning

Tumbled recommends Sealing all Natural Stone Tiles

For more information on caring for your natural stone please refer to our website [www.tumbled.com.au](http://www.tumbled.com.au)

### Grout Color Suggestions

Tonal Grout — Mapei 112 Medium Grey

Constrast Grout — Mapei 110 Manhattan



INDOOR



OUTDOOR



POOL SAFE

P5

SLIP RATING

